





Maria L. Race Senior Environmental Engineer

Walt 8

CR-USENS

May 3, 2006

Federal Express

CR-ERNS Coordinator
US EPA Region V

Emergency and Remedial Response Section Mail Cole 5c-6J

77 W. Jackson Chicago, IL 60604

Subject: Continuous Release Reporting

Dear CR-ERNS Coordinator:

Enclosed is a Written Notification of a Change to Follow-up Report for each of the following stations:

- 626149

Crawford Generating Station
Powerton Generating Station
Will County Generating Station

Each notification contains data updates pertaining to continuous hydrogen fluoride releases. New CR-ERNS numbers have been issued for each station's update.

Should you have any questions, please contact me at 312-583-6062.

Sincerely,

Maria L. Race

Senior Environmental Engineer

Attachments

cc:

Luke Ford (without attachment)
Craig Lucke (without attachment.)
Joseph Heredia (without attachment.)
Mike Kelly (without attachment)

Midwest Generation EME, LLC One Financial Place 440 South LaSalle Street Suite 3500 Chicago, IL 60605 Tel: 312 583 6062

Tel: 312 583 6062 Fax: 312 788 5526 Email: mrace@mwgen.com

SECTION I: GENERAL INFORMATION			CR-ERNS Number: 626149					
Date of Initial Release: Unknown			Date of Initial Call to NRC: 10/14/2002					
Type of Report: Indicate below the type of report you are submitting. First Anniversary Written Notification of a Change to Report Initial Notification Follow-up Report								
quantity and ra	•		John Kennedy, Station Director Name and Position Signature					
Part A. Faci	lity or Vessel Information							
Name of Faci	Name of Facility or Vessel Crawford Generating Station							
Person in Charge of Facility or Vessel Facility Address or Vessel Port of	Name of Person in Charge John Reposition Station Director Telephone No. () 773-247-7272 Street 3501 S. Pulaski Road City Chicago	Kei	Alternate Telephone No. () County Cook IL 60623 State Zip Code					
Registration Dun and Bra	dstreet Number for Facility 1	14	466571					
Facility/Vesso Location	Latitude Deg 41 Min Longitude Deg 87 Min		Sec 40 Sec 23 Vessel LORAN Coordinates					
Part B. Pop	ulation Information							
Population Density	Choose the range that describes the popul (Indicate by placing an "X" in the approp 0 - 50 persons 51 - 100 persons		on density within a one-mile radius of your facility or vessel e blank below). 101 - 500 persons X more than 1000 persons 501 - 1000 persons					
Sensitive Populations and	Sensitive Populations or Ec (e.g., schools, hospitals, wetlands, wil							
Ecosystems Within One Mile Radius	See Attached.							

SECTION II: SOURCE INFORMATION

CR-ERNS Number:

626149

Part A: Basis for Asserting the Release is Continuous and Stable in Quantity and Rate.

For EACH source of a release of a hazardous substance or mixture from your facility or vessel, provide the following information on a SEPARATE sheet. Photocopy this page if necessary.

······································	acks 7 \$ 8
1. Indicate whether the release fr	
continuous without interruption	on X OR routine, anticipated, intermittent
	results in the release from this source (e.g., batch process, filling of a storage tank). nalfunction and explain why the release from the malfunction should be considered atity and rate.*
Normal operation of p	plant, burning subbituminous coal to make electricity.
	en en de la companya de la companya La companya de la co
	ablished the pattern of release and calculated release estimates.
3. Identify below how you esta-	· ·
	X
Identify below how you estate Past release data	Knowledge of the facility/vessel's Engineering estimate operations and release history
	Knowledge of the facility/vessel's Engineering estimate

^{*} Note that unanticipated events, such as spills, pipe ruptures, equipment failures, emergency shutdowns, or accidents, do not qualify for reduced reporting under CERCLA section 103(f)(2). Unanticipated events are not incidental to normal operations and, by definition, are not continuous or anticipated, and are not sufficiently predictable or regular to be considered stable in quantity and rate.

SECTION II: SOURCE INFORMATION (continued)	CR-ERNS Number: 626149
Name of Source: Stack #7	
Part B: Specific Information on the Source	
For the source identified above, provide the followheet for EACH source. Photocopy this page if	owing information. Please provide a SEPARATE necessary.
AFFECTED MEDIUM. Identify the environmental medi affected by the release from this source. If your source relewastepile releasing to air and ground water), treat the releast Section II, Parts A, B, and C, of this format for EACH medians.	ases hazardous substances to more than one medium (e.g., a see to EACH medium as a separate source and complete
source is a stack or a ground-based area source.	um affected is air, please also specify whether the
If identified source is a stack, indicate stack heig	· · · · · · · · · · · · · · · · · · ·
If identified source is an area source (e.g., waste emissions), indicate surface area: square	pile, landfill, valves, tank vents, pump seals, fugitive feet or square meters.
SURFACE WATER (stream, lake	, or other)
If the release affects any surface water body, gi	ve the name of the water body.
stream order: or average flow rate:	a of the lake in acres and the average depth in meters.
SOIL OR GROUND WATER	
If the release is on or under ground, indicate the distance	to the closest water well.
Optional In	
	elease. If this information is not provided, EPA will riate values. Please note that the units specified below
For a stack release to air, provide the following information, if available: Inside diameter 10.25 feet or meters Gas Exit Velocity 150 feet/second or meters/second degrees Fahrenheit, Kelvin, or Celsius	For a release to surface water, provide the following information, if available: Average Velocity feet/second of Surface Water

SECTION II: SOURCE INFORMATION (continued)	CR-ERNS Number: 626149
Name of Source: Stack #8	
Part B: Specific Information on the Source For the source identified above, provide the followsheet for EACH source. Photocopy this page if a AFFECTED MEDIUM. Identify the environmental medius affected by the release from this source. If your source release	necessary. m (i.e., air, surface water, soil, or ground water) that is
wastepile releasing to air and ground water), treat the release Section II, Parts A, B, and C, of this format for EACH medi	
O AIR X (stack X or area) If the medius source is a stack or a ground-based area source. If identified source is a stack, indicate stack heigh If identified source is an area source (e.g., waste emissions), indicate surface area: square for example of the source is an area source.	nt: 378 feet or meters; OR pile, landfill, valves, tank vents, pump seals, fugitive
SURFACE WATER (stream, lake If the release affects any surface water body, give	
stream order: or average flow rate:	of the lake in acres and the average depth in meters.
SOIL OR GROUND WATER If the release is on or under ground, indicate the distance to	to the closest water well.
Optional In:	formation
The following information is not required in the final evaluating the risks associated with the continuous re make conservative assumptions about the appropr are suggested units. You may use other units; however, the suggested units are suggested units.	lease. If this information is not provided, EPA will itate values. Please note that the units specified below
For a stack release to air, provide the following information, if available: Inside diameter 11.8 feet or meters Gas Exit Velocity 150 feet/second or meters/second degrees Fahrenheit, Kelvin, or Colsius	For a release to surface water, provide the following information, if available: Average Velocity feet/second of Surface Water

SECTION II: SOURCE INFORMATION (continued)

CR-ERNS Number:

626149

Part C. Identity and Quantity of Each Hazardous Substance or Mixture Released From Each Source Please provide a SEPARATE sheet for EACH source. Photocopy this page if necessary.

Name of Source:

Stack #7

List each hazardous substance released from the source identified above and provide the following information. (For an example, see Table 1 of Reporting Requirements for Continuous Releases of Hazardous Substances - A Guide for Facilities and Vessels on Compliance.)

		Norma (in lbs. or k		Number of Days Release Occurs	Total Quantity Released in Previous Year	Months of the	
Name of Hazardous Substance	CASRN#	Upper Bound	Lower Bound	(per year)	(in lbs. or kg)*	Release	
Hydrogen fluoride	7664393	102 lb/day	0	365	24,890 lbs	1Ż	

List each mixture released from the source identified above and provide the following information. (For an example, see Table 2 of Reporting Requirements for Continuous Releases of Hazardous Substances - A Guide for Facilities and Vessels on Compliance.)

				Normal R	lange of	: Norma	l Range of		m	
	Name of			Compo	nents	Mi	ixture	Number of	Total Quantity of	
	Hazardous		((in lbs. or kg per day)*		17		Months
	Substance		Weight	Upper	Lower -	Upper	Lower	Occurs	in Previous Year	of the
Name of Mixture	Components	CASRN#	<u>Percentage</u>	Bound	Bound	<u>Bound</u>	<u>Bound</u>	(per year)	(in lbs. or kg)	<u>Release</u>

^{*} Please be sure to include units where appropriate. Also, if the release is a radionuclide, units of curies (CI) are appropriate.

SECTION II: SOURCE INFORMATION

(continued)

CR-ERNS Number:

626149

Part C. Identity and Quantity of Each Hazardous Substance or Mixture Released From Each Source

Please provide a SEPARATE sheet for EACH source. Photocopy this page if necessary.

Name of Source:

Stack #8

List each hazardous substance released from the source identified above and provide the following information. (For an example, see Table 1 of Reporting Requirements for Continuous Releases of Hazardous Substances - A Guide for Facilities and Vessels on Compliance.)

-	Normal (in lbs. or k	•	Number of Days Release Occurs	Total Quantity Released in Previous Year	Months of the	
Name of Hazardous Substance	CASRN#	Upper Bound	Lower Bound	(per year)	(in lbs. or kg)*	<u>Release</u>
Hydrogen fluoride	7664393	113 lb/day	0	365	31,615 lbs	12

List each mixture released from the source identified above and provide the following information. (For an example, see Table 2 of Reporting Requirements for Continuous Releases of Hazardous Substances - A Guide for Facilities and Vessels on Compliance.)

				Normal Kange of	Normal Kange of		m 10 % 6	
Name of				Components	Mixture	Number of Total Quantity of		
***************************************		,		(i- 1) 1 dev)*	Dove Palese	e Mixture Released	Months	
ı	Hazardous				`			- 641 -
	Substance		Weight	Upper Lower -	Upper Lower	Occurs	in Previous Year	of the
Name of Mixture	Components	CASRN#	Percentage	Bound Bound	Bound Bound	(per year)	(in lbs. or kg)	Release

^{*} Please be sure to include units where appropriate. Also, if the release is a radionuclide, units of curies (CI) are appropriate.

SECTION III: SUBSTANCE INFORMATION

CR-ERNS Number:

626149

Calculation of the SSI Trigger

For EACH hazardous substance or hazardous substance component of a mixture indicated in Section II, Part C, list the names of the releasing sources and their upper bounds. Please use a SEPARATE sheet for EACH hazardous substance. Photocopy this page if necessary.

Name of Hazardous Substance:

Hydrogen fluoride

To calculate the SSI trigger (i.e., the upper bound of the normal range of a release) for the hazardous substance identified above, aggregate the upper bounds of the normal range of the identified hazardous substance across all sources identified in Section II, Part C. If the hazardous substance is also a component of a mixture, be certain to include the upper bound of the component as calculated in Section II, Part C, in your calculation of the SSI trigger.

Name of Source(s)

Upper Bound of the Normal Range of the Release (specify lbs., kg, or Ci)

Stack 7

102 lbs/day

Stack 8

113 lbs/day

TOTAL - SSI trigger for this hazardous substance release*:

215 lbs

^{*} This method for calculating the SSI trigger for the hazardous substance assumes that all releases of the same hazardous substance or mixture occur simultaneously. To the extent that a hazardous substance is released from your facility from different sources and at different frequencies, you may adjust the SSI trigger as appropriate, so that it more accurately reflects the frequency and quantity of the release. The SSI trigger in the final analysis must reflect the upper bound of the normal range of the release, taking into consideration all sources of the release at the facility or vessel. The normal range of the release includes all releases previously reported or occurring over a 24-hour period during the previous year.

The following are a list of schools and their distance and direction from the station:

- o Gary Elementary 0.4 mile northeast of station.
- O Whitney Elementary 0.5 mile north of station.
- O Grace Lutheran 0.6 mile northwest of station.
- o Good Shepherd 0.8 mile northwest of station.
- O Little Village Academy 0.8 mile northeast of station.
- O Blessed Agnes 0.9 miles northeast of station.
- o Epiphany 1 mile northwest of station.
- O Corkery 1 mile northwest of station.

We are not aware of any other sensitive populations near the station.